



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/634,874

08/06/2003

Babak Habibi

170154.401C1

7619

500

7590

12/15/2010

SEED INTELLECTUAL PROPERTY LAW GROUP PLLC

701 FIFTH AVE

SUITE 5400

SEATTLE, WA 98104

EXAMINER

MARC, MCDIEUNEL

ART UNIT

PAPER NUMBER

3664

MAIL DATE

DELIVERY MODE

12/15/2010

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No.	Applicant(s)	
	10/634,874	HABIBI ET AL.	
	Examiner	Art Unit	
	McDieunel Marc	3664	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 02 September 2010.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 33-47 and 49-61 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) 33-47, 50-56 and 58-60 is/are allowed.
- 6) ☐ Claim(s) _____ is/are rejected.
- 7) ☒ Claim(s) 49,57 and 61 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 5/6/09 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>6/5/09</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. Claims 33-47 and 49-61 are pending.
2. The rejection to claims 33-38, 40-47 and 49-61 are rejected under 35 U.S.C. 103(a) as being unpatentable over McGee et al. (US 4942539 A) in view of Wei et al. (Multisensory Visual servoing by a Neural Network, 1999) is withdrawn.
3. The objection to claim 39 is withdrawn.
4. Applicant's arguments with respect to claims 33-47 and 49-61 have been considered but are moot in view of the new ground(s) of rejection. See rejection below.

Claim Rejections - 35 USC § 112

5. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

6. Claim 50 is rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. The phrase “using only the single captured image” does not have any support in the specification.

Art Unit: 3664

Specification

7. The amendment filed 06/05/2009 is objected to under 35 U.S.C. 132(a) because it introduces new matter into the disclosure. 35 U.S.C. 132(a) states that no amendment shall introduce new matter into the disclosure of the invention. The added material which is not supported by the original disclosure is as follows: See claim 50, wherein the phrase “using only the single captured image” does not have any support in the specification. Applicant is required to cancel the new matter in the reply to this Office Action.

8. The abstract of the disclosure is objected to because the web address should not be in the specification on page 6, line 11, “<http://www.ai.mit.edu/people/bkph/papers/tsaiexplain.pdf>”. Correction is required. See MPEP § 608.01(b).

Claim Rejections - 35 USC § 103

9. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

10. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any

Art Unit: 3664

evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

11. Claims 33-35, 38, 41, 42 are rejected under 35 U.S.C. 103(a) as being unpatentable over Matusik et al. (US 20020159628) in view of McGee et al. (4,942,539).

A per claim 33, Matusik et al. (US 20020159628) teaches capturing a number of images (see abs. particularly “A system digitizes a three-dimensional object as a three-dimension model by “) of a calibration object by the camera (see section [0022]); determining a set of intrinsic parameters of the camera (see sections [0027-0028]) from at least one of the number of images (see abs. particularly “A system digitizes a three-dimensional object as a three-dimension model by “) of the calibration object captured by the camera (see section [0026]); and determining a set of extrinsic parameters of the camera from at least one of the number of images (see abs. particularly “A system digitizes a three-dimensional object as a three-dimension model by”) of the calibration object captured by the camera (see section [0026]), the set of extrinsic parameters comprising (see sections [0027 and 0028]). Matusik et al. does not specifically teach a camera space-to-training space transformation defining a transformation between a camera space reference frame and a training space reference frame.

McGee et al. (4,942,539) teaches a camera space-to-training space transformation defining a transformation between a camera space reference frame and a training space reference

Art Unit: 3664

frame (see abs., wherein reference data has been reference frame; and “The offset is then transformed into the coordinate system or frame” has been taken defined transformation; and fig. 1, has shown evidence of a camera placed above the object which has been considered as space-to-training).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the teaching of Matusik et al., with the teaching of McGee et al., because this modification would have introduced frame into frame into Matusik’s et al. teaching, thereby “The camera is calibrated to determine internal camera geometric and optical characteristics (intrinsic parameters) and the 3-D position and orientation of the camera frame relative to the coordinate system at the station 12.” (see McGee et al. col. 5, lines 54-58).

A per claim 34, Matusik et al. teaches a method positioning the camera with respect to the calibration object (see sections [0023 and 0026]).

A per claim 35, Matusik et al. teaches method wherein positioning the camera with respect to the calibration object (see sections [0023 and 0026]) comprises positioning the camera orthogonally with respect to a ruled template with a number of features (see fig. 1, wherein element 130 being placed orthogonally), where a known or determinable physical relationship exists between at least some of the features (see fig. 2, wherein physical relationship exists between element 130 and the object 150).

Art Unit: 3664

A per claim 38, Matusik et al. teaches a wherein capturing a number of images (see abs. particularly “A system digitizes a three-dimensional object as a three-dimension model by “) of a calibration object by the camera (see section [0022]) comprises capturing at least one image at each of a plurality of different orientations with respect to the calibration object (see section [0025]).

A per claim 41, Matusik et al. teaches a further comprising: based at least in part on at least two of the number of images (see abs. particularly “A system digitizes a three-dimensional object as a three-dimension model” and fig. 1, element 130, wherein each has been considered image taken means) captured by the camera of the calibration object (see section [0026]).

Matusik et al. does not specifically teach determining a camera space-to-tool space transformation.

McGee et al. (4,942,539) teaches a camera space-to-tool space transformation (see abs., wherein reference data has been reference frame; and “The offset is then transformed into the coordinate system or frame” has been taken defined transformation; and fig. 1, has a camera which has been considered as space-to-tool).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the teaching of Matusik et al., with the teaching of McGee et al., because this modification would have introduced frame into frame into Matusik’s et al. teaching, thereby “The camera is calibrated to determine internal camera geometric and optical characteristics (intrinsic parameters) and the 3-D position and orientation of the camera frame relative to the coordinate system at the station 12.” (see McGee’s et al. col. 5, lines 54-58).

A per claim 42, Matusik et al. teaches a further comprising: determining a camera space-to-tool space transformation based on single one of the number of images (see abs. particularly “A system digitizes a three-dimensional object as a three-dimension model”) captured by the camera of the calibration object (see section [0026]). Matusik et al. does not specifically teach a number of physical coordinates of at least one feature of the calibration object.

McGee et al. (4,942,539) teaches a number of physical coordinates of at least one feature of the calibration object (see abs., and fig. 1, has a object which has been as having physical coordinates).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the teaching of Matusik et al., with the teaching of McGee et al., because this modification would have introduced coordinate into frame into Matusik’s et al. teaching, thereby “The camera is calibrated to determine internal camera geometric and optical characteristics (intrinsic parameters) and the 3-D position and orientation of the camera frame relative to the coordinate system at the station 12.” (see McGee’s et al. col. 5, lines 54-58).

12. Claim 36, 37 are rejected under 35 U.S.C. 103(a) as being unpatentable over Matusik et al. in view of McGee et al. as applied to claim 33 above, and further in view of Nayar et al. (US 5,802,201).

A per claim 36, Matusik et al. teaches a method wherein positioning the camera with respect to the calibration object (see sections [0023 and 0026]) comprises positioning the camera

Art Unit: 3664

with respect to a sample of a type of object (see fig. 1, elements 130 and 150, and element 150 has been taken for the object sample) where a known or determinable physical relationship exists between at least some of the features (see fig. 2, wherein physical relationship exists between element 130 and the object 150). Matusik et al. does not specifically teach a robot that that will manipulate, the sample having a number of features.

Nayar et al. (US 5,802,201) teaches a robot (see fig. 2, element 100) that will manipulate, the sample having a number of features (see col. 5, lines 23-35).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the teaching of Matusik et al., with the teaching of Nayar et al., because this modification would have (introduced, provided, increased, added, enhanced) into Matusik's et al. teaching, thereby "" (see Nayar's et al.).

A per claim 37, Matusik et al. teaches a method wherein capturing a number of images (see abs. particularly "A system digitizes a three-dimensional object as a three-dimension model by ") of a calibration object by the camera (see section [0022]) comprises capturing at least one image at each of a plurality of positions (see section [0024]). Matusik et al. does not specifically teach capturing image spaced perpendicularly from the calibration object.

Nayar et al. teaches a robot capturing image spaced perpendicularly from the calibration object (see abs. and fig. 1, wherein the camera has been place on top of the object perpendicularly).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the teaching of Matusik et al., with the teaching of Nayar et al.,

Art Unit: 3664

because this modification would have (introduced, provided, increased, added, enhanced) into Matusik's et al. teaching, thereby "" (see Nayar's et al.).

13. Claim 39 are rejected under 35 U.S.C. 103(a) as being unpatentable over Matusik et al. in view of McGee et al. as applied to claim 33 above, and further in view of Armstrong et al. (US 20040233461) and Rhoads (US 20100040255)..

A per claim 39, Matusik et al. teaches in combination with McGee et al. a wherein determining a set of intrinsic parameters of the camera (see sections [0027-0028]) from the at least one of the number of images (see abs. particularly "A system digitizes a three-dimensional object as a three-dimension model by ") of the calibration object captured by the camera (see section [0026]). Matusik et al. does not specifically teach determining at least one of a focal length, a first order radial lens distortion coefficient, a set of coordinates of a center of a radial lens distortion, or a scale factor indicative of a frame grabber scanline resampling uncertainty.

Armstrong et al. (US 20040233461) teaches determining at least one of a focal length, a first order radial lens distortion coefficient (see sections [0054 and 0055], wherein the radial distortion has been considered as first order coefficient), a set of coordinates of a center of a radial lens distortion (see section [0056]), or a scale factor (see sections [0011, 0053 and 0083]) indicative of a framegrabber scanline resampling uncertainty (see sections [0374 and 0379], for scaling).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the teaching of Matusik et al. and McGee et al., with the teaching

Art Unit: 3664

of Armstrong et al. because this modification would have introduced translation and rotation into Matusik's et al. and McGee's et al. teaching, thereby "camera coordinate systems may be rotated in three-dimensional space with respect to the other" (see Armstrong's et al. section [0026]).

Although, Armstrong et al. in combination of Matusik et al. teach a scale, but not a scale factor, and framegrabber.

Rhoads (US 20100040255) teaches the well known features of scale factor (see section [0165]), and framegrabber (see section [0306]).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the teaching of Matusik et al., McGee et al., and Armstrong et al. with the teaching of Rhoads, because this modification would have introduced scale factor into Matusik's et al. and McGee's et al. teaching, thereby "processing data representing video" (see Rhoads' abs.).

14. Claim 40 are rejected under 35 U.S.C. 103(a) as being unpatentable over Matusik et al. in view of McGee et al. as applied to claim 33 above, and further in view of Armstrong et al. (US 20040233461)..

A per claim 40, Matusik et al. teaches a wherein determining a set of extrinsic parameters of the camera from at least one of the number of images (see abs. particularly "A system digitizes a three-dimensional object as a three-dimension model by "(" of the calibration object captured by the camera (see section [0026]), the set of extrinsic parameters comprising (see

Art Unit: 3664

sections [0027 and 0028]). Matusik et al. does not specifically teach a camera space-to- training space transformation defining a transformation between a camera space reference frame and a training space reference frame.

McGee et al. (4,942,539) teaches a camera space-to-training space transformation defining a transformation between a camera space reference frame and a training space reference frame (see abs., wherein reference data has been reference frame; and “The offset is then transformed into the coordinate system or frame” has been taken defined transformation; and fig. 1, has shown evidence of a camera placed above the object which has been considered as space-to-training).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the teaching of Matusik et al., with the teaching of McGee et al., because this modification would have introduced frame into frame into Matusik’s et al. teaching, thereby “The camera is calibrated to determine internal camera geometric and optical characteristics (intrinsic parameters) and the 3-D position and orientation of the camera frame relative to the coordinate system at the station 12.” (see McGee et al. col. 5, lines 54-58).

Matusik’s et al. and McGee et al. comprises_determining a respective translation component along three orthogonal axes, and a respective rotation component about the three orthogonal axes.

Armstrong et al. (US 20040233461) teaches determining a respective translation component along three orthogonal axes (see sections [0011, 0030 and 0031] for three orthogonal axes), and a respective rotation component about the three orthogonal axes (see abs., for rotation; and section [0011] for three orthogonal axes).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the teaching of Matusik et al. and McGee et al., with the teaching of Armstrong's et al. because this modification would have introduced translation and rotation into Matusik's et al. and McGee's et al. teaching, thereby "camera coordinate systems may be rotated in three-dimensional space with respect to the other" (see Armstrong's et al. section [0026]).

15. Claims 43 are rejected under 35 U.S.C. 103(a) as being unpatentable over Matusik et al. in view of McGee et al. as applied to claim 33 above, and further in view of Horn (US 20010034481).

A per claim 43, Matusik et al. teaches a method that further comprising: capturing an image of a teaching object of a type of object that will be manipulated by the robot (see fig. 2, element 100); selecting a number of features from the captured image of the teaching object (see col. 3, lines 48-58, wherein retrieving has been taken as selecting). Matusik et al. does not specifically teach determining a set of object space coordinates for each of the selected features from the captured image of the teaching object.

Horn (US 20010034481) teaches photogrammetric sensor position estimation including determining a set of object space coordinates for each of the selected features from the captured image of the teaching object (see section [0017], wherein a set of object...for each camera met the set of ...).

Art Unit: 3664

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the teaching of Matusik et al., and McGee et al. with the teaching of Horn, because this modification would have introduced object space coordinates into Matusik's et al. and McGee et al. teaching, thereby "the camera position and field of view are also preferably selected so that the number of features, m , in each image are the same, and that the same m objects have been imaged in each image." (see Horn's section [0055]).

16. Claims 44 are rejected under 35 U.S.C. 103(a) as being unpatentable over Matusik et al. in view of McGee et al. and Horn as applied to claim 33 above, and further in view of Nayar et al. (US 5,802,201).

A per claim 44, Matusik et al. teaches essential features of the invention substantially as claimed, but fails to teach a system wherein selecting a number of features from the captured image of the teaching object comprises selecting six features from the captured image of the teaching object.

Nayar et al. (US 5,802,201) teaches selecting a number of features from the captured image (see col. 3, lines 48-58, wherein retrieving has been taken as selecting) of the teaching object comprises selecting six features from the captured image of the teaching object (see col. 9, lines 19-21, wherein the six points have been considered as six features).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the teaching of Matusik et al. McGee et al., and Horn with the teaching of Nayar et al., because this modification would have introduced six points as six

Art Unit: 3664

features into Matusik's et al. McGee's et al. and Horn's teaching, thereby "three dimensional information is retrieved" (see Nayar's et al. col. 4, lines 32-33).

17. Claims 45-47 are rejected under 35 U.S.C. 103(a) as being unpatentable over Matusik et al. in view of McGee et al. and Horn as applied to claim 33 above, and further in view of Maguire, Jr. (US 20100231706).

A per claim 45, Matusik et al. McGee et al. and Horn teach essential features of the invention substantially as claimed, but they fail to teach a determining an object space-to-camera space transformation defining a transformation between an object space reference frame and the camera space reference frame.

Maguire, Jr. (US 20100231706) teaches a camera including determining an object space-to-camera space transformation defining a transformation between an object space reference frame and the camera space reference frame (see abs.).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the teaching of Matusik et al. McGee et al. and Horn, with the teaching of Maguire, Jr., because this modification would have introduced reference frame of an object into Matusik's et al. McGee's et al. and Horn's teaching, thereby "successive images are computer generated images produced by a computer workstation from successive images taken from a camera navigated by a person within a three-axis reference frame of an object space" (see Mauiure's Jr., claim 11).

A per claims 46 and 47, Matusik et al. McGee et al., Horn and Maguire, Jr. teach essential features of the invention substantially as claimed, but they fail to teach determining a position and an orientation of an object frame in the tool frame reference frame based at least in part on the object frame-to-camera space and camera space-to-tool space transformations; providing the position and orientation of the object frame to the robot; and training an intended operation path inside the object frame.

Maguire, Jr. teaches determining a position and an orientation of an object frame in the tool frame reference frame (see section [0008], wherein the virtual reality has been considered as reference frame for providing images in a display) based at least in part on the object frame-to-camera space and camera space-to-tool space transformations(see abs., and section [0161]); providing the position and orientation of the object frame to the robot (see sections [0016 and 0018]); and training an intended operation path inside the object frame (see abs.).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the teaching of Matusik et al. McGee et al. Horn and Maguire, Jr., with the teaching of Maguire, Jr., because this modification would have introduced reference frame of an object into Matusik's et al. McGee's et al. Horn's and Maguire's, Jr. teaching, thereby "successive images are computer generated images produced by a computer workstation from successive images taken from a camera navigated by a person within a three-axis reference frame of an object space" (see Maguire's Jr., claim 11).

Art Unit: 3664

18. Claim 50 is rejected under 35 U.S.C. 103(a) as being unpatentable over Matusik et al., in view of Horn, Bancroft et al. and Ishiyama.

A per claim 50, Matusik et al. teaches substantially a method comprising: an algorithm that employs a known or determinable physical relationship between at least some of the located features (see fig. 2, wherein physical relationship exists between element 130 and the object 150). Matusik et al. teaches does not teach determining an object space-to-camera space transformation for the target object based at least in part on a position of at least some of the located features using only the captured image; a single camera mounted to a movable portion of a robot; capturing a two-dimensional image of a volume containing a target object; locating a number of features in the captured image of the target object; a single camera mounted to a movable portion of a robot; useful in three-dimensional pose estimation for use with, the method.

Horn (US 20010034481) teaches determining an object space-to-camera space transformation for the target object based at least in part on a position of at least some of the located features using only the captured image (see abs.).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the teaching of Matusik et al., with the teaching of Horn, because this modification would have introduced object space coordinates into Matusik's et al. teaching, thereby "the camera position and field of view are also preferably selected so that the number of features, m , in each image are the same, and that the same m objects have been imaged in each image." (see Horn's section [0055]).

Art Unit: 3664

Matusik et al. and Horn teach essential features of the invention substantially as claimed, but they fail to teach a single camera mounted to a movable portion of a robot; a system that is useful in three-dimensional pose estimation.

Bancroft et al. (US 6,584,375) teaches a single camera mounted to a movable portion of a robot (see col. 22, lines 35-38, wherein the camera has been considered mounted on a movable part).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the teaching of Matusik et al., and Horn with the teaching of Bancroft et al., because this modification would have introduced a camera mounted to the robot into Matusik's et al. and Horn's teaching, thereby "the robot equipped with audio and video equipment that can provide a record of what the robot observes while monitoring the retail environment" (see Bancroft's col. 35, lines 35-38).

Matusik et al. Horn and Bancroft et al. teach essential features of the invention substantially as claimed, but they fail to teach a system that is useful in three-dimensional pose estimation.

Ishiyama (US 20010033685) teaches a system that is useful in three-dimensional pose estimation (see abs., and section [0001]).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the teaching of Matusik et al., Horn and Bancroft et al. with the teaching of Ishiyama, because this modification would have introduced frame into frame into Matusik's et al. Horn's and Bancroft's et al. teaching, thereby "2-D image of target object is obtained by use of a camera 55 as in input image." (see Ishiyama's section [0011]).

19. Claims 51 and 52 are rejected under 35 U.S.C. 103(a) as being unpatentable over Matusik et al., in view of Horn, Bancroft et al. and Ishiyama as applied to claim 50 above, and further in view of Hudson (US 20010055069).

A per claims 51 and 52, Matusik et al., Horn and Bancroft et al. and Ishiyama teach essential features of the invention substantially as claimed, but they fail to teach determining at least one movement of the robot that orients the camera orthogonally with respect to the target object.

Hudson (US 20010055069) teaches a camera orthogonally-mounted including determining at least one movement of the robot that orients the camera orthogonally with respect to the target object (see abs. and section [0003]).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the teaching of Matusik et al., Horn Bancroft et al. and Ishiyama with the teaching of Hudson, because this modification would have introduced frame into frame into Matusik's et al. Horn's Bancroft's et al. and Ishima's teaching, thereby "2-D image of target object is obtained by use of a camera 55 as in input image." (see Ishiyama's section [0011]).

20. Claims 53 and 58 are rejected under 35 U.S.C. 103(a) as being unpatentable over Matusik et al., in view of McGee et al. and Ishiyama.

Art Unit: 3664

A per claims 53 and 58, Matusik et al. teaches a system and an associated method a single camera operable to capture a number of images (see abs. particularly “A system digitizes a three-dimensional object as a three-dimension model by “) of a calibration object means for calibrating the camera, by: determining a set of intrinsic parameters of the camera (see sections [0027-0028]) from at least one of the number of images (see abs. particularly “A system digitizes a three-dimensional object as a three-dimension model by “) of the calibration object captured by the camera (see section [0026]); and determining a set of extrinsic parameters of the camera from at least one of the number of images (see abs. particularly “A system digitizes a three-dimensional object as a three-dimension model by “) of the calibration object captured by the camera (see section [0026]), the set of extrinsic parameters comprising (see sections [0027 and 0028]) determining an object space-to-camera space transformation based at least in part on a position of at least some of the located features in solely the captured image (see abs. particularly “A system digitizes a three-dimensional object as a three-dimension model”). Matusik et al. does not specifically teach a system useful in robotics (see fig. 2, element 100) a camera space-to-training space transformation defining a transformation between a camera space reference frame and a training space reference frame (see abs.); and locating at least six features in the captured image of the target object; and using an algorithm that employs a known or determinable physical relationship between at least some of the located features.

McGee et al. (4,942,539) teaches useful in robotics (see fig. 2, element 100) a camera space-to-training space transformation defining a transformation between a camera space reference frame and a training space reference frame (see abs., wherein reference data has been reference frame; and “The offset is then transformed into the coordinate system or frame” has

Art Unit: 3664

been taken defined transformation; and fig. 1, has shown evidence of a camera placed above the object which has been considered as space-to-training).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the teaching of Matusik et al., with the teaching of McGee et al., because this modification would have introduced frame into frame into Matusik's et al. teaching, thereby "The camera is calibrated to determine internal camera geometric and optical characteristics (intrinsic parameters) and the 3-D position and orientation of the camera frame relative to the coordinate system at the station 12." (see McGee's et al. col. 5, lines 54-58).

Matusik et al., and McGee et al. teach essential features of the invention substantially as claimed, but fail to teach means for estimating a pose of a target object, by: capturing a two-dimensional image of a volume containing a target object.

Ishiyama teaches means for estimating a pose of a target object (see abs., section [0001]), by: capturing a two-dimensional image of a volume containing a target object (see section [0003]).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the teaching of Matusik et al., and McGee et al. with the teaching of Ishiyama, because this modification would have introduced frame into frame into Matusik's et al. and McGee's et al. teaching, thereby "2-D image of target object is obtained by use of a camera 55 as in input image." (see Ishiyama's section [0011]).

21. Claim 54 is rejected under 35 U.S.C. 103(a) as being unpatentable over Matusik et al., McGee et al., and Ishiyama and Horn (US 20010034481)..

Art Unit: 3664

A per claim 54, Matusik et al. teaches a further comprising: means for training, comprising: capturing an image of a teaching object of a type of object that will be manipulated by the robot (see fig. 2, element 100); selecting a number of features from the captured image of the teaching object (see col. 3, lines 48-58, wherein retrieving has been taken as selecting). Matusik et al. does not specifically teach determining a set of object space coordinates for each of the selected features from the captured image of the teaching object; and determining an object space-to-camera space transformation defining a transformation between an object space reference frame and the camera space reference frame.

Horn (US 20010034481) teaches a set of object space coordinates for each of the selected features from the captured image of the teaching object (see section [0017], wherein a set of object...for each camera meet the set of ...); and determining an object space-to-camera space transformation defining a transformation between an object space reference frame and the camera space reference frame (see abs.).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the teaching of Matusik et al., and McGee et al. with the teaching of Horn, because this modification would have introduced object space coordinates into Matusik's et al. and McGee et al. teaching, thereby "the camera position and field of view are also preferably selected so that the number of features, m , in each image are the same, and that the same m objects have been imaged in each image." (see Horn's section [0055]).

Art Unit: 3664

22. Claims 55 and 59 rejected under 35 U.S.C. 103(a) as being unpatentable over Matusik et al., in view of McGee et al. and Ishiyama as applied to claims 53 and 58 above, and further in view of Nayar et al. (US 5,802,201)..

A per claims 55 and 59, Matusik et al. teaches essential features of the invention substantially as claimed, but fails to teach a system wherein the means for estimating a pose, and the means for training comprises at least one programmed computer.

Nayar et al. (US 5,802,201) teaches a system wherein the means for calibrating, the means for estimating a pose (see fig. 1, wherein the general purpose computer 170, has been considered as means for estimating pose), and the means for training comprises at least one programmed computer (see col. 1, lines 37-47, wherein it is known for the computer graphics/general purpose computer to be considered as means for holding software codes/routines and training function).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the teaching of Matusik et al., with the teaching of Nayar et al., because this modification would have introduced computer into Matusik's et al. teaching, thereby "The foregoing operations may be performed by computer 170 executing a simple software routine." (see Nayar's et al. col. 10, lines 21-23).

A per claims 55 and 59, Matusik et al. teaches essential features of the invention substantially as claimed, but fails to teach a system wherein the means for estimating a pose, and the means for training comprises at least one programmed computer.

Art Unit: 3664

Nayar et al. (US 5,802,201) teaches a system wherein the means for calibrating, the means for estimating a pose (see fig. 1, wherein the general purpose computer 170, has been considered as means for estimating pose), and the means for training comprises at least one programmed computer (see col. 1, lines 37-47, wherein it is known for the computer graphics/general purpose computer to be considered as means for holding software codes/routines and training function).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the teaching of Matusik et al., with the teaching of Nayar et al., because this modification would have introduced computer into Matusik's et al. teaching, thereby "The foregoing operations may be performed by computer 170 executing a simple software routine." (see Nayar's et al. col. 10, lines 21-23).

23. Claims 56 and 60 are rejected under 35 U.S.C. 103(a) as being unpatentable over Matusik et al., in view of McGee et al. and Ishiyama as applied to claims 53 and 58 above, and further in view of Nayar et al..

A per claims 56 and 60, Matusik et al. and McGee et al. teach essential features of the invention substantially as claimed, but they fail to teach means for calibrating and the means for estimating a pose comprises at least one computer-readable medium storing instructions operating at least one computer.

Nayar et al. teaches means for calibrating and the means for estimating a pose (see col. 1, lines 37-47, wherein the computer graphics has been considered as means for holding software

Art Unit: 3664

codes and training) comprises at least one computer-readable medium storing instructions operating at least one computer (see col. 3, lines 27-32).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify the teaching of Matusik et al., with the teaching of Nayar et al., because this modification would have introduced computer into Matusik's et al. teaching, thereby "The foregoing operations may be performed by computer 170 executing a simple software routine." (see Nayar's et al. col. 10, lines 21-23).

Allowable Subject Matter

24. Claim 49, 57 and 61 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

25. The following is a statement of reasons for the indication of allowable subject matter:

With respect claims 49, 57 and 61, the prior art of record fail to teach or fairly suggest adjusting a position of the movable portion of the robot if the number of features located in the captured image of the target object is determined to be an insufficient number of features.

Art Unit: 3664

26. Any inquiry concerning this communication or earlier communications from the examiner should be directed to MCDIEUNEL MARC whose telephone number is (571)272-6964. The examiner can normally be reached on 6:30-5:00 Mon-Thu.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Khoi Tran can be reached on (571) 272-6919. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/McDieunel Marc :/

/KHOI TRAN/

Supervisory Patent Examiner, Art Unit 3664